

Under the Paperwork Reduction Act of 1995, no person is required to respond to a collection of information unless it displays a valid OMB control number.

PTO/SB/21 (09-04)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

TRANSMITTAL FORM

(to be used for all correspondence after initial filing)

Total Number of Pages in this Submission

Application Number	09/980,084
Filing Date	May 2, 2002
First Named Inventor	Andrew LAITT
Art Unit	3721
Examiner Name	Hemant Desai
Attorney Docket Number	000026-00032

ENCLOSURES (Check all that apply)

- | | | |
|--|--|---|
| <input type="checkbox"/> Fee Transmittal Form
<input type="checkbox"/> Fee Attached
<input type="checkbox"/> Amendment/Reply
<input type="checkbox"/> After Final
<input type="checkbox"/> Affidavits/declaration(s)
<input type="checkbox"/> Extension of Time Request
<input type="checkbox"/> Express Abandonment Request
<input type="checkbox"/> Information Disclosure Statement

<input type="checkbox"/> Certified Copy of Priority Document(s)
<input type="checkbox"/> Reply to Missing Parts/ Incomplete Application
<input type="checkbox"/> Reply to Missing Parts under 37 CFR 1.52 or 1.53 | <input type="checkbox"/> Drawing(s)
<input type="checkbox"/> Licensing-related Papers
<input type="checkbox"/> Petition
<input type="checkbox"/> Petition to Convert to a Provisional Application
<input type="checkbox"/> Power of Attorney, Revocation Change of Correspondence Address
<input type="checkbox"/> Terminal Disclaimer
<input type="checkbox"/> Request for Refund
<input type="checkbox"/> CD, Number of CD(s) _____
<input type="checkbox"/> Landscape Table on CD | <input type="checkbox"/> After Allowance Communication to TC
<input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences
<input type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)
<input type="checkbox"/> Proprietary Information
<input type="checkbox"/> Status Letter
<input checked="" type="checkbox"/> Other Enclosure(s) (please identify below):
Cover Letter
Appeal Brief |
|--|--|---|

Remarks

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT

Firm Name	BLANK ROME LLP		
Signature	<i>Michael D. White</i>		
Printed Name	Michael D. White		
Date	July 6, 2006	Reg. No.	32,795

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Docket No. 000026-00032

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of: Andrew LAITT

Serial No: 09/980,084

Filed: May 2, 2002

For: A METHOD OF PACKAGING GOODS

GAU: 3721

Examiner: Hemant Desai



Commissioner for Patents
P.O. Box 1450
Alexandria, VA. 22313-1450

Sir:

Transmitted herewith is an Appeal Brief in the above-identified application.

- ☐ No additional fee is required
- ☐ This application qualifies for small entity status. 37 C.F.R. §1.27.
- ☒ Additional documents filed herewith: Transmittal Form

Claims	Claims Remaining	Highest Number Prev. Paid		Number of Extra Claims	Rate	Fee
Total			-20	0	\$50	\$0.00
Independent			-3	0	\$200	\$0.00
		<input type="checkbox"/> Multiple Dependent Claims			\$360	\$0.00
		TOTAL OF ABOVE CALCULATIONS				\$0.00
		<input type="checkbox"/> Reduction by 50% for filing by Small Entity				\$0.00
		<input type="checkbox"/> Recordation of Assignment			\$40.00	\$0.00
		TOTAL				\$0.00

- ☒ A check in the amount of \$ 500.00 is attached.

- Please charge any additional Fees for the papers being filed herewith and for which no check is enclosed
- ☒ herewith, or credit any overpayment to deposit Account No. 23-2185. A duplicate copy of this sheet is enclosed.

- If these papers are not considered timely filed by the Patent and Trademark Office, then a petition is hereby
- ☒ made under 37 C.F.R. §1.136, and any additional fees required under 37 C.F.R. §1.136 for any necessary extension of time may be charged to Deposit Account No. 23-2185. A duplicate copy of this sheet is enclosed.

BLANK ROME LLP

BLANK ROME LLP
600 New Hampshire Avenue, N.W.
Washington, DC 20037
TEL (202) 944-3000
FAX (202) 572-8398

Michael D. White

Michael D. White
Registration No. 32,795

Customer No. 27557

Date: July 6, 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Andrew LAITT

Serial No.: 09/980,084

Filed: May 2, 2002

For: **A METHOD OF PACKAGING GOODS**



) Confirmation No. 8099

) Art Unit: 3721

) Examiner: Hemant Desai

) Date: July 6, 2006

APPEAL BRIEF

Mail Stop Appeal Brief
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The Appellant, through undersigned counsel, respectfully submits the present Appeal Brief in support of the Notice of Appeal filed April 14, 2006.

I. Real party in interest

The real party in interest is the inventor Mr. Andrew Laitt of London, United Kingdom.

II. Related appeals and interferences

There are no related appeals or interferences.

III. Status of claims

Claims 1-33 have been presented for examination. Claims 7, 21, 23 – 26, 28 – 29 have been cancelled. Claims 1 – 6, 8 – 20, 22, 27, and 30 – 33 are pending and have been rejected more than twice, and form the subject matter of this appeal.

07/07/2006 SZEWDIE1 00000012 09980084

01 FC:1402

500.00 0P

IV. Status of amendments

No amendments after the non-final Office Action dated December 14, 2005 have been presented. The Pre-Appeal Brief Request for Review filed April 14, 2006, did not include any amendments.

V. Summary of claimed subject matter

The present claimed invention is directed to a method of packaging a brittle food-stuff in a strip of pouches with a layer of air in each pouch and between each pouch having a cushioning effect that reduces the likelihood of breakage of the food-stuff (page 2, lines 28 -29). The strip of standard serving portion pouches also allows for a new fresh portion of the food-stuff to be enjoyed every time the food-stuff is consumed (page 2, lines 12 – 21). The method of the present claimed invention comprising the steps of:

- a. forming a tube having a predetermined cross sectional shape and area (page 4, lines 1 - 6; Figure 1)
- b. forming a first seal at a lower end of the tube (page 4, lines 6 – 10; Figure 2, seal 3)
- c. feeding a pre-determined amount of the food-stuff to be packaged into the tube (page 4, lines 14 – 16; Figure 2, food-stuff 204),
- d. forming a second seal in the tube at a pre-determined distance above the first seal (page 4, lines 17 – 20; Figure 2, seal 3)
- e. repeating the steps of feeding the foodstuff and sealing along the tube to form a strip of sealed pouches of pre-determined dimensions and predetermined volume containing the foodstuff each pouch having at least one long side face which is as long as or longer than all other faces of the pouch in the direction of the strip (Figure 2, pouch 5), and
- f. inserting the strip of sealed pouches into a carton (page 5 lines 23 – 27; Figures 4 – 10), wherein the bulk volume of said predetermined amount of foodstuff fed into each pouch is less

than the predetermined volume of each sealed pouch, so that when each pouch is sealed, each pouch contains the desired quantity of foodstuff as well as a predetermined amount of air so that if a sealed pouch is placed on said long side face, a layer of air is formed above the foodstuff (page 4, lines 21 – 26), and wherein the strip of filled pouches is folded into a space filling pattern in a first step (page 4, lines 18 – 21; page 5, lines 19 – 21), the folded pouches being subsequently inserted into the carton in the space filling pattern in a second step, the pattern being configured so that the walls of the carton hold the pouches in the space filling pattern (page 5 lines 23 – 27; Figures 4 – 10).

VI. Grounds of rejection to be reviewed on appeal

The rejection of claims 1 – 6, 8 – 20, 22, 27, and 30 – 33 under 35 U.S.C. § 103(a) as being unpatentable over Kaufman (U.S. pat. 2,835,596) and Davy (U.S. pat. 3,199,756) or Soubier (U.S. pat. 2,194,451), and further in view of European Application 0302413 (EP'413).

VII. Argument

The present application is a Request for Continued Examination application (RCE) filed November 30, 2005. A previous RCE was filed January 10, 2005. Needless to say, there have been multiple rejections of the claims in this application. For the reasons stated herein, the applied references do not establish a *prima facie* case of obviousness.

In the present pending December 14, 2005 Action, the Examiner has admitted that the combinations of Kaufman and Davy and Kaufman, Davy and Warp are each overcome: “Applicant’s arguments with respect to claims 1-6, 8-20, 22, 27, 30-33 has [sic] been considered but are moot in view of the new ground(s) of rejection.” December 14, 2005 Action, p. 7, ¶3. Thus, the combination of Kaufman and Davy is already overcome as being insufficient to establish a *prima facie* case of obviousness. The arguments presented on pages 10-12 of the

October 27, 2005 Amendment After Final Rejection were sufficient to overcome that prior art combination.

As a consequence, the pending rejection is entirely dependent upon the combination of Kaufman with the newly added references Soubier and EP'413.

As noted before, one skilled in the art would not combine the teachings of Kaufman and Davy to incorporate the feature of a strip of sealed pouches into Kaufman. One skilled in the art would also not combine the teachings of Soubier with Kaufmann to incorporate this feature. More importantly, Soubier teaches away from the present invention. Soubier is particularly concerned with the packaging of coffee. Coffee is not a brittle material within the understanding of the art. There is no perceived need to protect the coffee from physical damage during storage. Indeed, on page 2, column 1, lines 53 to 56, Soubier discloses using a vacuum to evacuate any gas from the package before sealing. This teaches away from the present invention in which an excess volume of air or gas is included above the brittle product to protect it. Further, there is no mention in Soubier of protecting the contents of the package from physical damage, only from exposure to the atmosphere (page 1, column 1, lines 5 – 6). One skilled in the art would not refer to the area of coffee packaging, particularly in view of the known technique of the evacuating coffee packages which would be completely opposed to the invention.

Of the references above, only Kaufman and Davy conceivably relate to the packing of brittle materials. Soubier relates to the packaging of a robust material, coffee, as described above, and would not have been considered by one skilled in the art for the packaging of brittle materials.

Also, neither Kaufman, Davy or Soubier teaches a brick shaped configuration. Kaufman teaches a method of packaging marshmallows with a volume of air. Kaufman does not teach a method of packaging whereby the package forms a brick shaped configuration upon sealing. As

can be seen in Figure 2 of Kaufman, the package produced does not hold one consistent shape at all times, but instead only has a flat wall when placed against a flat surface. By contrast, in the present invention a brick shaped configuration is formed upon the sealing of the package, due to the inclusion of a pre-determined volume of air with the food-stuff and because of the formation of diametrically opposed pleats during the sealing process (page 4, lines 10 – 23; Figure 2, pleats 4). Because of this, the packages of the present invention retain a brick shaped configuration at all times.

Further, Kaufman is drawn to a method of packaging marshmallows "without substantial sticking or deforming of the marshmallows." Kaufman, column 2, lines 28 – 29. As marshmallows are soft substances, they will not stick together or deform until a great amount of force is applied to them, especially for an extended period of time. When a force is applied to the package of Kaufman, the force causes the package to change shape while also applying to the contents of the package and causing them to move, as can be seen by comparing Figures 2 and 3 of Kaufman. As such, the method of Kaufman allows for the force to be applied to the contents of the package and then dissipated by the reformation of the shape of the package. After the package takes its new configuration, the marshmallows may then return to their normal shape in their new location within the package. The method of Kaufman works well for marshmallows, as the brunt of the force is borne by the package while lesser forces initially impact the package contents. However, the method of Kaufman would not work with brittle food-stuffs, wherein even weak forces applied over a short term would cause damage to the contents.

By contrast, the packages of the present invention are already formed into a brick shaped configuration, and no change in their configuration takes place upon the application of a force to the package. Because the configuration of the package is stable, the package absorbs the entire force, preventing any of the force from being applied to its contents. As such, brittle food-stuffs

are protected and are not subjected to force. The only time the contents of the packages of the present invention move are when they are subjected to the pull of gravity, such as when a package is turned onto its side.

EP '413 teaches an unrelated brick shaped container. EP '413 in fact relates to the production of drink packages (see column 1, lines 14-16 and column 3, lines 39-40). This application relates to a completely different area of art. Brittleness is not a concern with drink packaging. One skilled in the art regarding the present invention would not have referred to this reference. In addition, it is not the intention of EP '413 to provide a strip of connected containers. They are separated shortly after being formed (see Fig. 1). It is well known that when the drink containers are filled with liquid, they become very rigid, due to the incompressible nature of their filling and the strength of the cardstock or paper from which they are normally formed. In the present invention, no such strength can be obtained, because the packages are formed of a relatively flexible material and comprise a substantial volume of air which does not give rigidity to the packaging in the same way. The present inventor has realized that connecting a series of brick shaped containers gives added lateral stability and furthermore the outer carton provides strength to the entire structure. The packaging system comprises an outer carton and inner pouches which work together to cushion and protect the brittle contents from damage due to handling from the original time of packaging right through the point of purchase by the consumer. The combination of brick shaped pouches securely held in formation by the outer cardboard carton creates a unique protection system for the brittle contents. The inner pouches snugly fitted into the outer carton give it additional support, further resisting deflection of the outer carton to outside pressure/force, which could damage the contents. There is no disclosure of this in either of Soubier or Davy and certainly not in the EP '413 application. If one skilled in the art did apply the teaching of the EP '413 application, the result would have

been separate brick shaped containers made of a rigid material such as cardstock. This is a further teaching away from the present invention.

For the reasons set forth above, the Appellant respectfully submits that the applied references cannot be combined to obtain the present invention. Therefore, the Appellant respectfully urges reversal of the outstanding grounds of rejection.

Respectfully submitted,

Andrew LAITT

By: Michael D. White
Michael D. White
Reg. No. 32,795
Attorney for Appellants

BLANK ROME LLP
Watergate
600 New Hampshire Avenue, N.W.
Washington, D.C. 20037
Telephone: (202) 772-5800
Facsimile: (202) 572-8398
Customer No.: 27557

VIII. Claims appendix

1. A method of packaging a brittle food-stuff comprising the steps of forming a tube having a predetermined cross sectional shape and area, forming a first seal at a lower end of the tube, feeding a pre-determined amount of the food-stuff to be packaged into the tube, forming a second seal in the tube at a pre-determined distance above the first seal, repeating the steps of feeding the foodstuff and sealing along the tube to form a strip of sealed pouches of pre-determined dimensions and predetermined volume containing the foodstuff each pouch having at least one long side face which is as long as or longer than all other faces of the pouch in the direction of the strip, and inserting the strip of sealed pouches into a carton, wherein the bulk volume of said predetermined amount of foodstuff fed into each pouch is less than the predetermined volume of each sealed pouch, so that when each pouch is sealed, each pouch contains the desired quantity of foodstuff as well as a predetermined amount of air so that if a sealed pouch is placed on said long side face, a layer of air is formed above the foodstuff, wherein at least one pleat is formed on each side of the tube and at each end of each pouch so that each pouch adopts a substantially brick shaped configuration when sealed with the pre-determined amount of air and pre-determined amount of foodstuff therein.

2. A method as claimed in claim 1, wherein the strip of sealed pouches is arranged substantially upright or transverse in the carton.

3. A method as claimed in claim 1, wherein the strip of sealed pouches is arranged in a concertina configuration in the carton.

4. A method as claimed in claim 2, wherein at least two strips of sealed pouches are arranged in the carton.

5. A method as claimed in claim 4, wherein the at least two strips of sealed pouches are arranged parallel to one another in the carton.

6. A method as claimed in claim 4, wherein the at least two strips of sealed pouches are releasably attached to one another.

8. A method as claimed in claim 1, wherein the at least one pleat is formed in each pouch after the lower end of each pouch is sealed but before the goods are fed into the pouch.

9. A method as claimed in claim 1, wherein the pouches in the or each strip are substantially the same size.

10. A method as claimed in claim 1, wherein each pouch is substantially cuboidal in shape.

11. A method as claimed in claim 1, wherein each pouch is substantially cubic in shape.

12. A method as claimed in claim 1, wherein the sealing is by means of heat.

13. A method as claimed in claim 1, wherein the sealing is by means of an adhesive.

14. A method as claimed in claim 1, wherein the tube is formed of plastics material.
15. A method as claimed in claim 1, wherein the tube is formed of waxed paper.
16. A method as claimed in claim 1, wherein printed matter is applied to each pouch of the strip of pouches.
17. A method as claimed in claim 1, wherein perforations are formed between each pouch of the strip of pouches to enable separation of the pouches from one another.
18. A method as claimed in claim 17, wherein the perforations are formed by means of a comb-type cutter.
19. A method as claimed in claim 18, wherein the comb-type cutter has means for severing the pouches from one another.
20. A method as claimed in claim 19, wherein the pouches are severed from one another after a pre-determined number of pouches has been filled and sealed.
22. Packaged brittle food-stuff produced by the method as claimed in claim 1.
27. A method as claimed in claim 1, wherein the strip of filled pouches is folded at points between the pouches.

30. A method according to claim 1, wherein the food-stuff comprises breakfast cereal.

31. A method according to claim 1, further comprising the steps of determining the pre-determined volume of food-stuff, determining the predetermined volume of the sealed pouches, so that the predetermined volume of the sealed pouches is greater than the predetermined volume of food-stuff and so that, when the pouch is placed on its side, a layer of air is formed above the food-stuff, determining the predetermined shape and the predetermined distance between the first and second seal from said predetermined volume.

32. A method as claimed in claim 30, wherein said carton has an opening face and a bottom face opposite said opening face, and an axis extending from said bottom face to said opening face, the strip of sealed pouches being arranged substantially transverse to said axis in the carton and arranged in a concertina configuration.

33. A method of packaging a brittle food-stuff comprising the steps of forming a tube having a predetermined cross sectional shape and area, forming a first seal at a lower end of the tube, feeding a pre-determined amount of the food-stuff to be packaged into the tube, forming a second seal in the tube at a pre-determined distance above the first seal, repeating the steps of feeding the foodstuff and sealing along the tube to form a strip of sealed pouches of pre-determined dimensions and predetermined volume containing the foodstuff each pouch having at least one long side face which is as long as or longer than all other faces of the pouch in the direction of the strip, and inserting the strip of sealed pouches into a carton, wherein the bulk volume of said predetermined amount of foodstuff fed into each pouch is less than the predetermined volume of each sealed pouch, so that when each pouch is sealed, each pouch

contains the desired quantity of foodstuff as well as a predetermined amount of air so that if a sealed pouch is placed on said long side face, a layer of air is formed above the foodstuff, wherein the strip of filled pouches is folded into a space efficient pattern the strip of filled and sealed pouches being then inserted into the carton.

IX. Evidence appendix

There is no evidence of record under 37 C.F.R. § 1.130, 1.131 or 1.132.

X. Related proceedings appendix

There are no related proceedings; thus, there is nothing to submit in this appendix.